Geotechnical Testing Journal
Table of Contents, Volume 1
1978

No. 1, March

Constant-Rate-of-Strain and Controlled-Gradient Consolidation Testing—C. T. GORMAN, T. C. HOPKINS, R. C. DEEN, AND V. P. DRNEVICH 3
Preparing Test Specimens Using Undercompaction— R. S. LADD 16
A New Apparatus for Measuring the Principal Strains in Anisotropic Clays—C. M. K. YUEN, K. Y. LO, J. H. L. PALMER, AND G. A. LEONARDS 24
Minimum and Maximum Densities of Granular Materials—G. R. MEHDIRATTA AND G. E. TRIANDAFILIDIS 34
Railroad Ballast Density Measurement—T. S. YOO, H. M. CHEN, AND E. T. SELIG 41
Method of Test for Determining the Splitting Tensile Strength of Rocks—S. S. PENG 55
Example of an Energy Calibration Report on a Standard Penetration Test (ASTM Standard D 1586-67) Drill Rig—J. H. SCHMERTMANN, T. V. SMITH, AND R. HO 57

No. 2, June

History of ASTM Committee D-18 65
An Alternative to the Cathead and Rope for the Standard Penetration Test—W. D. KOVACS, A. H. GRIFFITH, AND J. C. EVANS 72
A Cyclic Simple Shear Apparatus for Dry Granular Materials—P. ANSELL AND S. F. BROWN 82
Cubical Triaxial Apparatus for Soil Testing—P. V. LADE 93
Normalized Deformation Parameters for Kaolin—H. G. POULOS 102
Suggested Method for Soil Specimen Remolding by Wet-Raining—RONALD CHANEY AND J. P. MULILIS 107

No. 3, September

Prediction of Potential Heave of Swelling Soil—L. D. JOHNSON AND D. R. SNETHEN 117
Some Effects of Test Configuration on Measured Soil Properties under Cyclic Loading—ROBERT PYKE 125
Dielectric Constant Determination of Soils at L Band Microwave Frequencies—T. A. OKRASINSKI, R. M. KOERNER, AND A. E. LORD, JR. 134
A Modified California Bearing Ratio Test for Granular Materials—MOSHE LIVNEH AND JACOB GREENSTEIN 141
Geotechnical Properties of Hackensack Valley Varved Clays of New Jersey—S. K. SAXENA, JAN HEDBERG, AND C. C. LADD 148
Equivalence of Air and Water Permeability Tests in Evaluating Engineering Fabrics—R. G. CARROLL, JR. 162

No. 4, December

Effects of Anisotropic Versus Isotropic Consolidation in Consolidated-Undrained Triaxial Compression Tests of Cohesive Soils—R. T. DONAGHE AND F. C. TOWNSEND 173
Uniaxial Tension Tests on Cement-Stabilized Granular Material—STELIOS KOLIAS AND R. I. T. WILLIAMS 190
Water-Manometer Tensiometers Installed and Read from the Land Surface—E. T. OAKSFORD 199
Testing of Geotechnical Fabric for Use as Reinforcement—T. A. HALIBURTON, C. C. ANGLIN, AND J. D. LAWMASTER 203
Investigation of a Plate Index Test for Railroad Ballast—C. M. PANUCCIO, R. C. WAYNE, AND E. T. SELIG 213
Apparatus and Procedures for a Railroad Ballast Plate Index Test—C. M. PANUCCIO, BRIAN DORWART, AND E. T. SELIG 223
Suggested Practice for Description of Frozen Soil (Visual-Manual Method) 228
Accuracy of the Density Scoop for Unit Weight Determinations in Cohesionless Soils—W. A. WEILER, JR., AND F. H. KULHAWY 234
Vacuum Filtration Versus Centrifugation for Sodium Adsorption Ratio Determination—DOUGLAS CRAFT 237

Geotechnical Testing Journal
Table of Contents, Volume 1
1978

No. 1, March

Constant-Rate-of-Strain and Controlled-Gradient Consolidation Testing—C. T. GORMAN, T. C. HOPKINS, R. C. DEEN, AND V. P. DRNEVICH 3
Preparing Test Specimens Using Undercompaction— R. S. LADD 16
A New Apparatus for Measuring the Principal Strains in Anisotropic Clays—C. M. K. YUEN, K. Y. LO, J. H. L. PALMER, AND G. A. LEONARDS 24
Minimum and Maximum Densities of Granular Materials—G. R. MEHDIRATTA AND G. E. TRIANDAFILIDIS 34
Railroad Ballast Density Measurement—T. S. YOO, H. M. CHEN, AND E. T. SELIG 41
Method of Test for Determining the Splitting Tensile Strength of Rocks—S. S. PENG 55
Example of an Energy Calibration Report on a Standard Penetration Test (ASTM Standard D 1586-67) Drill Rig—J. H. SCHMERTMANN, T. V. SMITH, AND R. HO 57

No. 2, June

History of ASTM Committee D-18 65
An Alternative to the Cathead and Rope for the Standard Penetration Test—W. D. KOVACS, A. H. GRIFFITH, AND J. C. EVANS 72
A Cyclic Simple Shear Apparatus for Dry Granular Materials—P. ANSELL AND S. F. BROWN 82
Cubical Triaxial Apparatus for Soil Testing—P. V. LADE 93
Normalized Deformation Parameters for Kaolin—H. G. POULOS 102
Suggested Method for Soil Specimen Remolding by Wet-Raining—RONALD CHANEY AND J. P. MULILIS 107

No. 3, September

Prediction of Potential Heave of Swelling Soil—L. D. JOHNSON AND D. R. SNETHEN 117
Some Effects of Test Configuration on Measured Soil Properties under Cyclic Loading—ROBERT PYKE 125
Dielectric Constant Determination of Soils at L Band Microwave Frequencies—T. A. OKRASINSKI, R. M. KOERNER, AND A. E. LORD, JR. 134
A Modified California Bearing Ratio Test for Granular Materials—MOSHE LIVNEH AND JACOB GREENSTEIN 141
Geotechnical Properties of Hackensack Valley Varved Clays of New Jersey—S. K. SAXENA, JAN HEDBERG, AND C. C. LADD 148
Equivalence of Air and Water Permeability Tests in Evaluating Engineering Fabrics—R. G. CARROLL, JR. 162

No. 4, December

Effects of Anisotropic Versus Isotropic Consolidation in Consolidated-Undrained Triaxial Compression Tests of Cohesive Soils—R. T. DONAGHE AND F. C. TOWNSEND 173
Uniaxial Tension Tests on Cement-Stabilized Granular Material—STELIOS KOLIAS AND R. I. T. WILLIAMS 190
Water-Manometer Tensiometers Installed and Read from the Land Surface—E. T. OAKSFORD 199
Testing of Geotechnical Fabric for Use as Reinforcement—T. A. HALIBURTON, C. C. ANGLIN, AND J. D. LAWMASTER 203
Investigation of a Plate Index Test for Railroad Ballast—C. M. PANUCCIO, R. C. WAYNE, AND E. T. SELIG 213
Apparatus and Procedures for a Railroad Ballast Plate Index Test—C. M. PANUCCIO, BRIAN DORWART, AND E. T. SELIG 223
Suggested Practice for Description of Frozen Soil (Visual-Manual Method) 228
Accuracy of the Density Scoop for Unit Weight Determinations in Cohesionless Soils—W. A. WEILER, JR., AND F. H. KULHAWY 234
Vacuum Filtration Versus Centrifugation for Sodium Adsorption Ratio Determination—DOUGLAS CRAFT 237

Geotechnical Testing Journal
Index to Volume 1
1978

Number	Month of Issue	Pages
1	March	1–64
2	June	65–116
3	September	117–172
4	December	173–000

A – C

Anglin, C. C.: *see* Haliburton, T. A., Anglin, C. C., and Lawmaster, J. D.

Ansell, P. and Brown, S. F.: Cyclic simple shear apparatus for dry granular materials, June, 82

Apparatus: Method of test for determining the splitting tensile strength of rocks (Peng), Mar., 55

Ballast: Apparatus and procedures for a railroad ballast plate index test (Panuccio, Dorwart, and Selig), Dec., 223

Bearing capacities: Modified California bearing ratio test for granular materials (Livneh and Greenstein), Sept., 141

Brown, S. F.: *see* Ansell, P. and Brown, S. F.

Capillary pressures: Prediction of potential heave of swelling soil (Johnson and Snethen), Sept., 117

Calibrations: Example of an energy calibration report on a standard penetration test (ASTM Standard D 1586-67) drill rig Schmertmann, Smith, and Ho), Mar., 57

Carroll, R. G., Jr.: Equivalence of air and water permeability tests in evaluating engineering fabrics, Sept., 162

Centrifuges: Vacuum filtration versus centrifugation for sodium adsorption ratio determination (Craft), Dec., 237

Chaney, Ronald and Mulilis, J. P.: Suggested method for soil specimen remolding by wet-raining, June, 107

Chemical analysis: Vacuum filtration versus centrifugation for sodium adsorption ratio determination (Craft), Dec., 237

Chen, H. M.: *see* Yoo, T. S., Chen, H. M., and Selig, E. T.

Clays

Cubical triaxial apparatus for soil testing (Lade), June, 93

Geotechnical properties of Hackensack Valley varved clays of New Jersey (Saxena, Hedberg, and Ladd), Sept., 148

Cohesionless soils

Accuracy of the density scoop for unit weight determinations in cohesionless soils (Weiler and Kulhawy), Dec., 234

Suggested method for soil specimen remolding by wet-raining (Chaney and Mulilis), June, 107

Compaction: Preparing test specimens using undercompaction (Ladd), Mar., 16

Concrete: Uniaxial tension tests on cement-stabilized granular materials (Kolias and Williams), Dec., 190

Consolidated-undrained tests: Geotechnical properties of Hackensack Valley varved clays of New Jersey (Saxena, Hedberg, and Ladd), Sept., 148

Consolidation: Constant-rate-of-strain and controlled-gradient consolidation testing (Gorman, Hopkins, Deen, and Drnevich), Mar., 3

Craft, Douglas: Vacuum filtration versus centrifugation for sodium adsorption ratio determination, Dec., 237

Cunny, R. W.: Soil mechanics information anaylsis center (SMIAC)—a specialized information resource, Mar., 113

D–G

Deen, R. C.: *see* Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.

Deformation: Normalized deformation parameters for kaolin (Poulos), June, 102

Density: Minimum and maximum densities of granular materials (Mehdiratta and Triandafilidis), Mar., 34

Dielectrics: Dielectric constant determination of soils at L band microwave frequencies (Okrasinski, Koerner, and Lord), Sept., 134

Direct shear tests: Cyclic simple shear apparatus for dry granular materials (Ansell and Brown), June, 82

Donaghe, R. T. and Townsend, F. C.: Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils, Dec., 173

Dorwart, B.: *see* Panuccio, C. M., Dorwart, B., and Selig, E. T.

Drnevich, V. P.: *see* Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.

Dynamic response: Example of an energy calibration report on a standard penetration test (ASTM Standard D 1586-67) drill rig, Mar., 57

Elasticity modulus: Uniaxial tension tests on cement-stabilized granular materials (Kolias and Williams), Dec., 190

Energy: Example of an energy calibration report on a standard penetration test (ASTM Standard D 1586-67) drill rig (Schmertmann, Smith, and Ho), Mar., 57

Evans, J. C.: *see* Kovacs, W. D., Griffith, A. H., and Evans, J. C.

Expansion: Prediction of potential heave of swelling soil (Johnson and Snethen), Sept., 117

Expansive clays: Prediction of potential heave of swelling soil (Johnson and Snethen), Sept., 117

Field tests: Alternative to the cathead and rope for the standard penetration test (Kovacs, Griffith, and Evans), June, 72

Foundation investigations: Testing of geotechnical fabric for use as reinforcement (Haliburton, Anglin, and Lawmaster), Dec., 203

Foundation reinforcement: Testing of geotechnical fabric for use as reinforcement (Haliburton, Anglin, and Lawmaster), Dec., 203

Frozen soils: Suggested practice for description of frozen soils (visual-manual procedure), Dec., 228

Geotechnical fabrics: Testing of geotechnical fabric for use as reinforcement (Haliburton, Anglin, and Lawmaster), Dec., 203

Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.: Constant-rate-of-strain and controlled-gradient consolidation testing, Mar., 3

Granular materials

Minimum and maximum densities of granular materials (Mehdiratta and Triandafilidis), Mar., 34

Modified California bearing ratio test for granular materials (Livneh and Greenstein), Sept., 141

Greenstein, Jacob: *see* Livneh, Moshe and Greenstein, Jacob

Griffith, A. H.: *see* Kovacs, W. D., Griffith, A. H., and Evans, J. C.

H–O

Haliburton, T. A., Anglin, C. C., and Lawmaster, J. D.: Testing of geotechnical fabric for use as reinforcement, Dec., 203

Hedberg, Jan: *see* Saxena, S. K., Hedberg, Jan, and Ladd, C. C.
History: History of ASTM Committee D-18, June, 65
Ho, R.: *see* Schmertmann, J. H., Smith, T. V., and Ho, R.
Hopkins, T. C.: *see* Gorman, C. T., Hopkins, T. C., Deen, R. C., and Drnevich, V. P.
Information retrieval: Soil mechanics information analysis center (SMIAC)—a specialized information resource (Cunny), Mar., 113
Johnson, L. D. and Snethen, D. R.: Prediction of potential heave of swelling soil, Sept., 117
Koerner, R. M.: *see* Okrasinski, T. A., Koerner, R. M., and Lord, A. E., Jr.
Kolias, S. and Williams, R. I. T.: Uniaxial tension tests on cement-stabilized granular materials, Dec., 190
Kovacs, W. D., Griffith, A. H., and Evans, J. C.: Alternative to the cathead and rope for the standard penetration test, June, 72
Kulhawy, F. H.: *see* Weiler, W. A., Jr. and Kulhawy, F. H.
Laboratory tests: Cubical triaxial apparatus for soil testing (Lade), June, 93
Ladd, C. C.: *see* Saxena, S. K., Hedberg, Jan, and Ladd, C. C.
Ladd, R. S.: Preparing test specimens using undercompaction Mar., 16
Lade, P. V.: Cubical triaxial apparatus for soil testing, June, 93
Lawmaster, J. D.: *see* Haliburton, T. A., Anglin, C. C., and Lawmaster, J. D.
Leonards, G. A.: *see* Yuen, C. M. K., Lo, K. Y., Palmer, J. H. L., and Leonards, G. A.
Livneh, Moshe and Greenstein, Jacob: Modified California bearing ratio test for granular materials, Sept., 141
Lo, K. Y.: *see* Yuen, C. M. K., Lo, K. Y., Palmer, J. H. L., and Leonards, G. A.
Lord, A. E., Jr.: *see* Okrasinski, T. A., Koerner, R. M., and Lord, A. E., Jr.
Mehdiratta, G. R. and Triandafilidis, G. E.: Minimum and maximum densities of granular materials, Mar., 34
Microwaves: Dielectric constant determination of soils at L band microwave frequencies (Okrasinski, Koerner, and Lord), Sept., 134
Mulilis, J. P.: *see* Chaney, Ronald and Mulilis, J. P.
Nondestructive tests: Dielectric constant determination of soils at L band microwave frequencies (Okrasinski, Koerner, and Lord), Sept., 134
Oaksford, E. T.: Water-manometer tensiometers installed and read from the land surface, Dec., 199
Okrasinski, T. A., Koerner, R. M., and Lord, A. E., Jr.: Dielectric constant determination of soils at L band microwave frequencies, Sept., 134

P–R

Palmer, J. H. L.: *see* Yuen, C. M. K., Palmer, J. H. L., and Leonards, G. A.
Panuccio, C. M., Dorwart, B., and Selig, E. T.: Apparatus and procedures for a railroad ballast plate index test, Dec., 223
Panuccio, C. M., Wayne, R. C., and Selig, E. T.: Investigation of a plate index test for railroad ballast, Dec., 213
Pavements: Modified California bearing ratio test for granular materials (Livneh and Greenstein), Sept., 141
Penetration tests: Alternative to the cathead and rope for the standard penetration test (Kovacs, Griffith, and Evans), June, 72
Peng, S. S.: Method of test for determining the splitting tensile strength of rocks, Mar., 55
Plate load tests
Apparatus and procedures for a railroad ballast plate index test (Panuccio, Dorwart, and Selig), Dec., 223
Investigation of a plate index test for railroad ballast (Panuccio, Wayne, and Selig), Dec., 213
Pore pressures
Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils (Donaghe and Townsend), Dec., 173
Cubical triaxial apparatus for soil testing (Lade), June, 93
Poulos, H. G.: Normalized deformation parameters for kaolin, June, 102
Pressure—measuring: Water-manometer tensiometers installed and read from the land surface (Oaksford), Dec., 199
Pyke, Robert: Some effects of test configuration on measured soil properties under cyclic loading, Sept., 125
Railroads
Apparatus and procedures for a railroad ballast plate index test (Panuccio, Dorwart, and Selig), Dec., 223
Investigation of a plate index test for railroad ballast (Panuccio, Wayne, and Selig), Dec., 213
Remolded soil samples: Suggested method for soil specimen remolding by wet-raining (Chaney and Mulilis), June, 107

S

Sands: Preparing test specimens using undercompaction (Ladd), Mar., 16
Saxena, S. K., Hedberg, Jan, and Ladd, C. C.: Geotechnical properties of Hackensack Valley varved clays of New Jersey, Sept., 148
Schmertmann, J. H., Smith, T. V., and Ho, R.: Example of an energy calibration report on standard penetration test (ASTM Standard D 1586-67) drill rig, Mar., 57
Selig, E. T.
see Panuccio, C. M., Dorwart, B., and Selig, E. T.
see Panuccio, C. M., Wayne, R. C., and Selig, E. T.
see Yoo, T. S., Chen, H. M., and Selig, E. T.
Settlement: Normalized deformation parameters for kaolin (Poulos), June, 102
Shear apparatus: Cyclic simple shear apparatus for dry granular materials (Ansell and Brown), June, 82
Shear strength
Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils (Donaghe and Townsend), Dec., 173
Normalized deformation parameters for kaolin (Poulos), June, 102
Shear stress: Cyclic simple shear apparatus for dry granular materials (Ansell and Brown), June, 82
Shear tests: Some effects of test configuration on measured soil properties under cyclic loading (Pyke), Sept., 125
Smith, T. V.: *see* Schmertmann, J. H., Smith, T. V., and Ho, R.
Snethen, D. R.: *see* Johnson, L. D. and Snethen, D. R.
Soil chemistry: vacuum filtration versus centrifugation for sodium adsorption ratio determination (Craft), Dec., 237
Soil classifications: Suggested practice for description of frozen soils (Visual-manual procedure), Dec., 228
Soil mechanics
Alternative to the cathead and rope for the standard penetration test (Kovacs, Griffith, and Evans), June, 72
Constant-rate-of-strain and controlled-gradient consolidation testing (Gorman, Hopkins, Deen, and Drnevich), Mar., 3
Soil mechanics information analysis center (SMIAC)—a specialized information resource (Cunny), Mar., 113
Soil moisture: Water-manometer tensiometers installed and read from the land surface (Oaksford), Dec., 199
Soil physical properties: Some effects of test configuration on measured soil properties under cyclic loading (Pyke), Sept., 125
Soil samples: Suggested method for soil specimen remolding by wet-raining (Chaney and Mulilis), June, 107
Soil science: History of ASTM Committee D-18, June, 65
Soil tests: History of ASTM Committee D-18, June, 65
Strain rate: Constant-rate-of-strain and controlled-gradient consolidation testing (Gorman, Hopkins, Deen, and Drnevich), Mar., 3

T–Z

Tensile strength
Method of test for determining the splitting tensile strength of rocks, Mar., 55
Uniaxial tension tests on cement-stabilized granular materials (Kolias and Williams), Dec., 190
Tensiometers: Water-manometer tensiometers installed and read from the land surface (Oaksford), Dec., 129
Test procedures: Method of test for determining the splitting tensile strength of rocks (Peng), Mar., 55
Townsend, F. C.: *see* Donaghe, R. T. and Townsend, F. C.
Triandafilidis, G. E.: *see* Mehdiratta, G. R. and Triandafilidis, G. E.
Triaxial tests
Effects of anisotropic versus isotropic consolidation in consolidated-undrained triaxial compression tests of cohesive soils (Donaghe and Townsend), Dec., 173
Preparing test specimens using undercompaction (Ladd), Mar., 16
Some effects of test configuration on measured soil properties under cyclic loading (Pyke), Sept., 125

Unit weight: Accuracy of the density scoop for unit weight determinations in cohesionless soils (Weiler and Kulhawy), Dec., 234
Varved clays: Geotechnical properties of Hackensack Valley varved clays of New Jersey (Saxena, Hedberg, and Ladd), Sept., 148
Vibratory compaction: Minimum and maximum densities of granular materials (Mehdiratta and Triandafilidis), Mar., 34
Visual classifications: Suggested practice for description of frozen soils (visual-manual procedure), Dec., 228
Wayne, R. C.: *see* Panuccio, C. M., Wayne, R. C., and Selig, E. T.
Weiler, W. A., Jr., and Kulhawy, F. H.: Accuracy of the density scoop for unit weight determinations in cohesionless soils, Dec., 234
Williams, R. I. T.: *see* Kolias, S. and Williams, R. I. T.
Yoo, T. S., Chen, H. M., and Selig, E. T.: Railroad ballast density measurement, Mar., 41
Yuen, C. M. K., Lo, K. Y., Palmer, J. H. L., and Leonards, G. A.: New apparatus for measuring the principal strains in anisotropic clays, Mar., 24